




1 to 3 GPM
3.8 to 11.3 LPM

Quality First!

SDS-T SERIES DC SUBMERSIBLE PUMPS

- **Low Cost**
**Super Strong Ryton
& Stainless Steel
Construction**
- **Fits In a 4" Well**
**Flow Rates Up to
3 GPM and Heads
Up to 230'**
- **Three 304 SS Models
to Choose From**
- **Three 316 SS Models
to Choose From**



T-Series (Triplex)

3.8" (96.5mm) O.D.
12.25" (311mm) Ht.
11 lbs. (5kg) Wt.

Three models to choose from:

SDS-T-135
2.9 GPM - 80' TDH

SDS-T-130
2.3 GPM - 115' TDH

SDS-T-128
1.8 GPM - 230' TDH

SunPumps SDS-T series pumps are low cost, high efficiency, positive displacement submersibles designed to be an economical solution for the "solar water pumping" industry. Constructed of Super Strong Ryton and Stainless Steel these pumps are extremely durable and corrosion resistant.

The design is an off-spring of the already time proved SDS-Q series pump. There are three standard models to choose from using 304 Stainless Steel housings and hard-ware. The same pumps can be special ordered 316 Stainless Steel housings and hardware for highly corrosive water.

They operate on 12 to 30 volts DC that may be supplied from a variety of independent sources including solar panels or batteries. It is the ideal way to provide water for remote homes, campsites, livestock, small farms or for many other needs beyond the power grid.

**Independent Water
Pumping Systems**

**Phone: 1-800-370-8115
(928) 348-9652**

Fax: (928) 348-9653




Chart based on solar panels as the power source. A 12 or 24 volt battery system will reduce the outputs.



www.sunpumps.com

325 E. Main Street Safford, AZ 85546 U.S.A.

For free system sizing, technical support, or to place an order call:

Phone: **1-800-370-8115**
(928) 348-9652
 Fax: **(928) 348-9653**